

- HATCH LEGEND**
- REMOVE BUILDING
 - REMOVE EXIST. HARDSCAPE AND LANDSCAPE
 - ABANDON EXISTING UTILITY SERVICE
 - REMOVE EXISTING UTILITY SERVICE
- TREE DEMOLITION DETAILS**
- TREE TO BE REMOVED
 - TREE PROTECTIVE FENCING


DEMOLITION NOTES:

1. EXECUTE WORK IN AN ORDERLY AND CAREFUL MANNER, WITH DUE CONSIDERATION FOR NEIGHBORS AND THE PUBLIC.
2. CONTRACTOR TO FENCE EXISTING TREES TO REMAIN. SEE THE PROJECT ARBORIST REPORT FOR DETAILS ON TEMPORARY PROTECTIVE FENCING, TREE PROTECTION ZONES, MULCHING UNDER TREES, ETC. TREE FENCING SHOWN ON PLANS ARE FOR GENERAL INFORMATION ONLY. THE ACTUAL LOCATION OF TREE PROTECTIVE FENCING SHALL BE DETERMINED IN THE FIELD BY THE PROJECT ARBORIST.
3. PROTECT AND MAINTAIN CONDUITS, DRAINS, SEWERS, PIPES, AND WIRES THAT ARE TO REMAIN.
4. KEEP STREET AND ROAD REASONABLY CLEAN, AND SWEEP DAILY.
5. CONSTANTLY SPRINKLE RUBBISH AND DEBRIS TO LAY DUST.
6. PROMPTLY REMOVE MATERIALS, RUBBISH, AND DEBRIS FROM PROPERTY.
7. WATERING SHOULD BE USED TO CONTROL DUST GENERATION DURING DEMOLITION OF STRUCTURES AND BREAK-UP OF PAVEMENT.
8. ALL TRUCKS HAULING DEMOLITION DEBRIS FROM THE SITE SHALL BE COVERED.
9. DUST-PROOF CHUTES SHALL BE USED TO LOAD DEBRIS INTO TRUCKS IN WHICHEVER-FEASIBLE. WATERING SHOULD BE USED TO CONTROL DUST GENERATION DURING TRANSPORT AND HANDLING OF RECYCLED MATERIALS.
10. ALL ACTIVE CONSTRUCTION AREAS SHALL BE WATERED (MIST) AT LEAST TWICE DAILY AND MORE OFTEN DURING WINDY PERIODS. ACTIVE AREAS ADJACENT TO THE EXISTING LAND USES SHALL BE KEPT DAMP AT ALL TIMES OR SHALL BE TREATED WITH NON-TOXIC STABILIZERS OR DUST PALLIATIVES.
11. ALL TRUCKS HAULING SOIL, SAND, AND OTHER LOOSE MATERIALS SHALL BE COVERED OR REQUIRE ALL TRUCKS TO MAINTAIN AT LEAST 2 FEET OF FREEBOARD.
12. ALL UNPAVED ACCESS ROADS, PARKING AREAS, AND STAGING AREAS AT CONSTRUCTION SITES SHALL BE PAVED, WATERED THREE TIMES DAILY, OR TREATED WITH NON-TOXIC SOIL STABILIZERS.
13. ALL PAVED ACCESS ROADS, PARKING AREAS, AND STAGING AREAS AT CONSTRUCTION SITES SHALL BE SWEEP DAILY WITH WATER SWEEPERS. WATER SWEEPERS SHALL VACUUM UP EXCESS WATER TO AVOID RUNOFF-RELATED IMPACTS TO WATER QUALITY.
14. LIMIT TRAFFIC SPEEDS ON UNPAVED ROADS TO 15 MPH.
15. INSTALL SANDBAGS OR OTHER EROSION CONTROL MEASURES TO PREVENT SILT RUNOFF TO PUBLIC ROADWAYS.
16. REPLANT VEGETATION IN DISTURBED AREAS AS QUICKLY AS POSSIBLE.
17. MINIMIZE IDLING TIME (5 MINUTES MAXIMUM).
18. MAINTAIN PROPERLY TUNED EQUIPMENT.
19. CONTRACTOR TO COORDINATE WITH UTILITY COMPANIES TO SHUT OFF GAS, POWER, ETC. PRIOR TO DEMOLITION.
20. CONTRACTOR TO OBTAIN ALL NECESSARY PERMITS.

TREE #	SPECIES	DBH	APPROVED FOR REMOVAL
321	BLACK LOCUST (ROBINIA PSEUDOACACIA)	32	NO
322	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	12	NO
323	BIRCH (BETULA SP.)	14	NO
324	BIRCH (BETULA SP.)	15'	NO
325	BIRCH (BETULA SP.)	8	NO
326	LONDON PLANE (PLATANUS X HISPANICA)	14 (EST.)	NO
327	LONDON PLANE (PLATANUS X HISPANICA)	10 (EST.)	NO
328	LONDON PLANE (PLATANUS X HISPANICA)	10 (EST.)	NO
329	LONDON PLANE (PLATANUS X HISPANICA)	11 (EST.)	NO
330	LONDON PLANE (PLATANUS X HISPANICA)	9 (EST.)	NO
331	LONDON PLANE (PLATANUS X HISPANICA)	8 (EST.)	NO
334	COAST REDWOOD (SEQUOIA SEMPERVIRENS)	15	YES
335	COAST REDWOOD (SEQUOIA SEMPERVIRENS)	17	YES
336	COAST REDWOOD (SEQUOIA SEMPERVIRENS)	8	YES
337	COAST REDWOOD (SEQUOIA SEMPERVIRENS)	13	YES
338	COAST REDWOOD (SEQUOIA SEMPERVIRENS)	14	NO
339	COAST REDWOOD (SEQUOIA SEMPERVIRENS)	15	NO
340	COAST REDWOOD (SEQUOIA SEMPERVIRENS)	12	NO
341	VALLEY OAK (QUERCUS LOBATA)	11	NO
342	COAST REDWOOD (SEQUOIA SEMPERVIRENS)	16	NO
343	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	9	NO
344	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	11	NO
345	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	13	NO
346	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	10	YES
348	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	10	NO
349	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	9	NO
350	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	15	NO
351	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	10	NO
352	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	14	NO
353	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	8	NO
354	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	12	NO
355	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	10	NO
356	TULIP POPLAR (LIRIODENDRON TULIPIFERA)	10	NO

TREE PRESERVATION REQUIREMENTS

- INSTALL 6-FOOT CHAIN-LINK FENCING ACCORDING TO FIGURE 1. SITE SKETCH (PAGE 9 OF ARBORIST REPORT). FENCING SHALL BE MOUNTED TO POSTS THAT ARE DRIVEN INTO THE GROUND. WHERE THIS IS NOT POSSIBLE BECAUSE OF TREE ROOTS OR OTHER OBSTACLES, CHAIN-LINK PANELS MOUNTED TO STANCHIONS AND CONNECTED TO EACH OTHER MAY BE INSTALLED. IF UNFORESEEN SITE FACTORS PROHIBIT THE USE OF CHAIN-LINK FENCING, OR IF OTHERWISE APPROVED BY THE CITY, USE OF PLASTIC CONSTRUCTION FENCING MOUNTED TO POSTS MAY BE USED.
- EXCAVATION FOR INSTALLATION OF PERMEABLE DRIVEWAY PAVERS SHALL BE DONE CAREFULLY BY HAND TO EXPOSE ANY ROOTS THAT MAY BE IN CONFLICT WITH THE INSTALLATION.
- EXCAVATION FOR NEW IRRIGATION IN THE PLANTER STRIPS WHERE THE TREES ARE LOCATED SHALL BE DONE CAREFULLY BY HAND TO EXPOSE ANY ROOTS THAT MAY BE IN CONFLICT WITH THE NEW IRRIGATION.
- EFFORT SHALL BE MADE TO TUNNEL UNDER THE ROOTS TO INSTALL THE IRRIGATION WITHOUT PRUNING THE ROOTS.
- IF ANY ROOTS GREATER THAN 3 INCHES IN DIAMETER ARE ENCOUNTERED DURING EXCAVATION, CONTACT THE PROJECT ARBORIST FOR ASSESSMENT BEFORE PRUNING.
- NO STORAGE OF BUILDING MATERIALS, REFUSE, EXCAVATED SPOILS, OR DUMPING OF POISSONOUS MATERIALS IS PERMITTED WITHIN THE DRIP LINE OF ANY PROTECTED TREE. POISSONOUS MATERIALS INCLUDE, BUT ARE NOT LIMITED TO, PAINT, PETROLEUM PRODUCTS, CONCRETE OR STUCCO MIX, DIRTY WATER, OR ANY OTHER MATERIAL WHICH MAY BE DEleterious TO TREE HEALTH.




Constru

Revision

Date: 12/13/2023
 Drawn: [Signature]
 App. No. 2138

C.04
4 of 13



■ Remove Landscape Planting Area &... 9342.8 SQ FT
■ Remove Exterior Stairs 199.7 SQ FT

DEMOLITION SITE PLAN LEGEND

- PROPERTY LINE
- EXISTING SITE WORK TO REMAIN
- SITE WORK TO BE DEMOLISHED AND REWORKED: PATCH AND REPAIR AS REQUIRED TO RESTORE NEW PAVING
- PORTION OF EXISTING ASPHALT CONCRETE DRIVEWAYS TO BE DEMOLISHED FOR CIVIL WORK

DEMOLITION SITE PLAN GENERAL NOTES

- A. FOR SCOPE OF CIVIL, LANDSCAPE, ASPHALT/CONCRETE, PLUMBING AND ELECTRICAL WORK
- B. REFER TO LANDSCAPE AND CIVIL PLANS FOR THE LOCATION OF EXISTING TREES TO REMAIN AND EXISTING TREES TO BE REMOVED

DEMOLITION SITE PLAN KEYNOTES

1. EXISTING AC DRIVEWAY TO REMAIN. REFER TO CIVIL PLANS FOR DETAIL OF SUECUT LANE
2. EXISTING PARKING STALLS TO REMAIN
3. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK TO REMAIN
4. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
5. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
6. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
7. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
8. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
9. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
10. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
11. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
12. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
13. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
14. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
15. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
16. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
17. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
18. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
19. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
20. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
21. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
22. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
23. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
24. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS
25. EXISTING AC DRIVEWAY, DRIVEWAY AND SIDEWALK. REFER TO LANDSCAPE AND CIVIL PLANS

FOR REFERENCE ONLY. SEE CIVIL SHEETS C.03 AND C.04 FOR EXISTING CONDITIONS AND SITE DEMOLITION PLAN




Constru

1455



NO.	DESCRIPTION	DATE
1	ISSUED FOR PERMIT	08/14/2014
2	ISSUED FOR PERMIT	08/14/2014
3	ISSUED FOR PERMIT	08/14/2014
4	ISSUED FOR PERMIT	08/14/2014
5	ISSUED FOR PERMIT	08/14/2014
6	ISSUED FOR PERMIT	08/14/2014
7	ISSUED FOR PERMIT	08/14/2014
8	ISSUED FOR PERMIT	08/14/2014
9	ISSUED FOR PERMIT	08/14/2014
10	ISSUED FOR PERMIT	08/14/2014
11	ISSUED FOR PERMIT	08/14/2014
12	ISSUED FOR PERMIT	08/14/2014
13	ISSUED FOR PERMIT	08/14/2014
14	ISSUED FOR PERMIT	08/14/2014
15	ISSUED FOR PERMIT	08/14/2014
16	ISSUED FOR PERMIT	08/14/2014
17	ISSUED FOR PERMIT	08/14/2014
18	ISSUED FOR PERMIT	08/14/2014
19	ISSUED FOR PERMIT	08/14/2014
20	ISSUED FOR PERMIT	08/14/2014
21	ISSUED FOR PERMIT	08/14/2014
22	ISSUED FOR PERMIT	08/14/2014
23	ISSUED FOR PERMIT	08/14/2014
24	ISSUED FOR PERMIT	08/14/2014
25	ISSUED FOR PERMIT	08/14/2014

AD.1



FIRST FLOOR DEMOLITION PLAN 1/8" = 1'-0"

DEMOLITION PLAN LEGEND	
	EXISTING WALL TO REMAIN
	EXISTING PERIMETER WALL TO REMAIN
	EXISTING PERIMETER WALL TO REMAIN
	EXISTING WALL TO BE DEMOLISHED
	DEMOLITION WALL FINISHES
	WALL TO BE DEMOLISHED
	EXISTING COLUMN TO REMAIN

DEMOLITION GENERAL NOTES	
A.	EXISTING STUDIES AND CONDITIONS AT EXTERIOR WALLS TO REMAIN IN PLACE.
B.	EXISTING STUDIES AT CORNER WALLS TO REMAIN IN PLACE.
C.	CONTRACTOR TO VERIFY PROPOSED FINISHES OVER EXISTING CONDITIONS AND NOT CONFLICT WITH EXISTING CONDITIONS.

DEMOLITION KEYNOTES	
1.	FOR COLUMN TO REMAIN
2.	PROPOSED PERIMETER WALL FINISHES (SEE WALL STUDY TO REMAIN) AND REMOVE ALL WALL FINISHES AND PREPARE FOR INSTALLATION OF NEW FINISHES. REFER TO WALL ASSEMBLIES SCHEDULE AND PROPOSED PLAN.
3.	REMOVE ALL CEILING FINISHES AND LIGHT FIXTURES. PREPARE FOR INSTALLATION OF NEW CEILING AND LIGHTS. REFER TO PROPOSED PLAN.
4.	REMOVE ALL WINDOW SILL OR COT BY STUDY AS REQUIRED IN PREPARATION FOR INSTALLATION OF NEW WINDOWS. REFER TO PROPOSED PLAN.
5.	REMOVE ALL WINDOW AND FRAMEWORK FOR INSTALLATION OF NEW DOORS.
6.	REMOVE ALL DOOR, SILL, CASE, HANDRAIL, SASH AND FINISHES. WALL OPENINGS, SEE SCHEDULE FOR WALL ASSEMBLIES.
7.	REMOVE ALL PERIMETER WALL FINISHES AND PREPARE FOR NEW DOOR INSTALLATION. REFER TO PROPOSED PLAN.
8.	REMOVE ALL PERIMETER WALLS IN STRUCTURE. REFER TO ELEVATIONS ON SHEET.
9.	EXISTING DOOR TO REMAIN.
10.	EXISTING DOOR STRUCTURE TO REMAIN. REMOVE ALL SURFACE FINISHES AND PREPARE FOR INSTALLATION OF NEW FINISHES.
11.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW.
12.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
13.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
14.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
15.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
16.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
17.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
18.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
19.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
20.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
21.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
22.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
23.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
24.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
25.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
26.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
27.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
28.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
29.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
30.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
31.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
32.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
33.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
34.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
35.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
36.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
37.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
38.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
39.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
40.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
41.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
42.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
43.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
44.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
45.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
46.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
47.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
48.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
49.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.
50.	REMOVE ALL STAIRS AND STAIRCASE ROOMS BELOW. REMOVE ALL STAIRS FINISHES AS REQUIRED AND PREPARE FOR NEW STAIRS. REFER TO PROPOSED PLAN.

Estimating




Constru

1455

FIRST FLOOR DEMOLITION PLAN	
DATE	08/11/2011
PROJECT	1455
CLIENT	1455
DESIGNER	1455
CHECKER	1455
DATE	08/11/2011
PROJECT	1455
CLIENT	1455
DESIGNER	1455
CHECKER	1455

AD.2



SECOND FLOOR DEMOLITION PLAN 1/8" = 1'-0"

DEMOLITION PLAN LEGEND	
	EXISTING WALL TO REMAIN
	EXISTING 1/2\"/>

DEMOLITION GENERAL NOTES	
A. EXISTING STUDIES AND CONDITIONS AT EXTERIOR WALLS TO REMAIN IN PLACE.	
B. EXISTING STUDIES AT CORNER WALLS TO REMAIN IN PLACE.	
C. CONTRIBUTION TO VIBRY PROXIMITY PROXIMITY LOCATIONS IS NOT COVERED BY THIS PLAN.	
DEMOLITION KEYNOTES	
1. FLOOR SLAB TO REMAIN	21. (F) STORAGE ROOM BELOW STAIRS TO REMAIN
2. PREPARE FOR WALL STUDIES (IF WALL STUDIES TO REMAIN) (LAND) REMOVE BY WALL	22. REMOVE ALL STRUCTURAL ALL SURFACE FINISHES AT EXTERIOR WALLS TO REMAIN TO
3. PREPARE FOR WALL STUDIES (IF WALL STUDIES TO REMAIN) (LAND) REMOVE BY WALL	23. REMOVE ALL STRUCTURAL ALL SURFACE FINISHES AT EXTERIOR WALLS TO REMAIN TO
4. REMOVE ALL SURFACE FINISHES INCLUDING BUT NOT LIMITED TO CARPET, LINOLEUM, LAMINATE, ETC. IN ALL AREAS WHERE AS REQUIRED TO REMOVE NEW FINISHES	24. HANDED AND A CHECK FOR HYDRATION OF FLOORING AND ASSEMBLY AS REQUIRED
5. REMOVE ALL FLOOR FINISHES IN THESE	25. PREPARE FOR CONSTRUCTION OF NEW STAIRS
6. REMOVE ALL CEILING FINISHES AND ACCESSORIES REMOVE BY FLOOR AND CAP	26. REMOVE ALL CEILING FINISHES AND ACCESSORIES REMOVE BY FLOOR AND CAP
7. REMOVE CEILING FINISHES AND ALL LIGHT FIXTURES. PREPARE FOR INSTALLATION OF	27. REMOVE ALL CEILING FINISHES AND ALL LIGHT FIXTURES. PREPARE FOR INSTALLATION OF
8. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	28. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
9. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	29. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
10. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	30. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
11. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	31. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
12. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	32. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
13. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	33. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
14. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	34. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
15. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	35. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
16. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	36. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
17. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	37. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
18. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	38. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
19. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	39. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR
20. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR	40. REMOVE BY WINDOW SILL OR CUT BY STEEL AS REQUIRED IN PREPARATION FOR




Construction

1455

SECOND FLOOR DEMOLITION PLAN

AD.3



ROOF DEMOLITION PLAN 1/8" = 1'-0"

DEMOLITION ROOF PLAN LEGEND	
	EXISTING STRUCTURE TO REMAIN (USING EXISTING WALL FINISHES)
	WALLS TO BE REMOVED
	PORTION OF ROOF TO BE DEMOLISHED
	EXISTING ROOF SLOPE DOWN
ROOF PLAN GENERAL NOTES	
1. CORRELATE ALL OF ARCHITECTURAL ELEMENTS TO DRAW 1 AND VERIFY LIMITS TO 40'-0" X 41' - 0" OF EXISTING ROOF AREA FLASHP.	
2. EXISTING BUILDING TOP PLATE SHALL BE IN WORKING ORDER AT 2" IN 8" TO CONTINUE TO BEING AS REMAINS FOR EXISTING MECHANICAL EQUIPMENT.	
3. PER MECHANICAL, ALL EXISTING ROOF TOP EQUIPMENT TO BE REMOVED. PATCH AND REPAIR EXISTING ROOF AS REQUIRED.	
4. REPAIR BUILT UP ROOF TOPPING TO BE REPLACED TO MATCH PREPARED ROOF AREA EXISTING ROOF STRUCTURE TO REMAIN (SEE 08 DEMO PLAN (SEE 042)).	
DEMOLITION ROOF PLAN KEYNOTES	
1. EXISTING BUILT UP ROOF TOPPING TO BE REPLACED TO MATCH NEW EXISTING ROOF STRUCTURE BELOW TO REMAIN.	
2. AT ROOF RISE, DEMOLISH EXISTING BUILT UP ROOF INCLUDING FINISHES AS REQUIRED. SEE ARCHITECTURAL DRAWINGS.	
3. DEMOLISH EXISTING TRUSS ROOF AREA.	
4. DEMOLISH EXISTING WOOD TRUSS STRUCTURE.	
5. CHECK MECHANICAL EQUIPMENT TO BE REMOVED. PATCH AND REPAIR EXISTING GUTS IF ROOF AIR REQUIRED.	
6. PATCH AND REPAIR EXISTING ROOF AND OVERFLOW DRAIN.	
7. REMOVE EXISTING ROOF TRUSS.	
8. EXISTING GUTTER TO BE REMOVED.	
9. REMOVE EXISTING DOWNSPOUT.	
10. DEMOLISH EXISTING PARAPET WALL.	
11. EXISTING PARAPET WALL STRUCTURE TO BE LEFT ONLY TO REMAIN REMAIN AS EXTERIOR FINISHES AND PREPARE FOR INSTALLATION OF NEW FINISHES.	



Constru

1455

NO.	DATE	DESCRIPTION
1	08/20/2014	ISSUED FOR PERMIT
2	08/20/2014	ISSUED FOR PERMIT
3	08/20/2014	ISSUED FOR PERMIT
4	08/20/2014	ISSUED FOR PERMIT
5	08/20/2014	ISSUED FOR PERMIT
6	08/20/2014	ISSUED FOR PERMIT
7	08/20/2014	ISSUED FOR PERMIT
8	08/20/2014	ISSUED FOR PERMIT
9	08/20/2014	ISSUED FOR PERMIT
10	08/20/2014	ISSUED FOR PERMIT

ROOF DEMOLITION PLAN
 SHEET NUMBER
AD.4

Veracity Estimating

NOTES
1. ACCURACY AND SCALE WILL BE APPROXIMATE.
2. CONSULT WITH LOCAL AGENCIES FOR ALL APPLICABLE PERMITS AND REGULATIONS.
3. VERIFY CONDITIONS AND MAKE NECESSARY ADJUSTMENTS TO THIS PLAN BEFORE CONSTRUCTION.



Douglas Parrott & Associates
ARCHITECTS

14000 MacArthur Boulevard
Suite 100
Irvine, CA
92618-7400
(949) 451-1000
(949) 451-1001
www.douglasparrott.com



Constru

MC
1455 A



DATE	08/11/2011
DESIGNED BY	Walter
CHECKED BY	Walter
DATE PLOTTED	08/11/2011
SCALE	AS SHOWN
PROJECT NO.	10000
CLIENT	VERACITY ESTIMATING
PROJECT NAME	VERACITY ESTIMATING
PROJECT ADDRESS	VERACITY ESTIMATING
PROJECT CITY	VERACITY ESTIMATING
PROJECT STATE	VERACITY ESTIMATING
PROJECT ZIP	VERACITY ESTIMATING
PROJECT PHONE	VERACITY ESTIMATING
PROJECT FAX	VERACITY ESTIMATING
PROJECT EMAIL	VERACITY ESTIMATING
PROJECT WEBSITE	VERACITY ESTIMATING

SITE DEMOLITION PLAN
ED1.01



pas inc
Professional Services
14000 MacArthur Boulevard
Suite 100
Irvine, CA 92618-7400
(949) 451-1000

Veracity
Estimating

- NOTES**
- 1. EXISTING AND REMOVAL ALL UTILITIES SHOWN ARE ASSUMED TO BE AS SHOWN. VERIFY CONDITIONS AND LOCATIONS PRIOR TO CONSTRUCTION. ALL UTILITIES TO BE REMOVED SHALL BE IDENTIFIED BY THE CONTRACTOR.
 - 2. EXISTING FLOOR FINISHES WITH DIMENSIONS ASSOCIATED WITH THIS DOCUMENT SHALL BE AS SHOWN.
 - 3. DIMENSIONS ARE GIVEN TO FACE UNLESS NOTED OTHERWISE. PLEASE SEE DRAWING FOR FLOOR FINISH LOCATIONS.



Douglas Partridge
ARCHITECTS

14000 MacArthur Boulevard
Suite 100
Irvine, CA
92618-1400
(949) 450-1400
(949) 450-1401
www.douglaspartridge.com



Construct

MC
1455 A



NO.	REVISION	DATE	BY	CHKD.



pas inc
ARCHITECTS

FIRST FLOOR
DEMOLITION PLAN
ED2.01


Veracity Estimating

NOTES
1. EXISTING AND REMOVAL ALL UTILITIES SHOWN ARE ASSUMED TO BE AS SHOWN ON THE EXISTING UTILITIES AND CONDUIT DRAWINGS AND SHALL BE VERIFIED BY THE CONTRACTOR PRIOR TO CONSTRUCTION.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE LOCAL AGENCIES.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE LOCAL AGENCIES.



Douglas Parcells
CONSTRUCTION

18000 Bluewater Parkway
Suite 100
Irvine, CA 92614-7400
TEL: 949.450.1100
WWW.DPGCONSTRUCTION.COM



Constru

MC
1455 A



NO.	DATE	DESCRIPTION
1	08/14/2024	ISSUED FOR PERMIT
2	08/14/2024	ISSUED FOR PERMIT
3	08/14/2024	ISSUED FOR PERMIT
4	08/14/2024	ISSUED FOR PERMIT
5	08/14/2024	ISSUED FOR PERMIT
6	08/14/2024	ISSUED FOR PERMIT
7	08/14/2024	ISSUED FOR PERMIT
8	08/14/2024	ISSUED FOR PERMIT
9	08/14/2024	ISSUED FOR PERMIT
10	08/14/2024	ISSUED FOR PERMIT
11	08/14/2024	ISSUED FOR PERMIT
12	08/14/2024	ISSUED FOR PERMIT
13	08/14/2024	ISSUED FOR PERMIT
14	08/14/2024	ISSUED FOR PERMIT
15	08/14/2024	ISSUED FOR PERMIT
16	08/14/2024	ISSUED FOR PERMIT
17	08/14/2024	ISSUED FOR PERMIT
18	08/14/2024	ISSUED FOR PERMIT
19	08/14/2024	ISSUED FOR PERMIT
20	08/14/2024	ISSUED FOR PERMIT
21	08/14/2024	ISSUED FOR PERMIT
22	08/14/2024	ISSUED FOR PERMIT



pas inc
Professional Services
18000 Bluewater Parkway
Suite 100
Irvine, CA 92614-7400
TEL: 949.450.1100
WWW.PASINC.COM


SECOND FLOOR
DEMOLITION PLAN
ED2.02

Veracity Estimating

NOTES
1. DEMOLITION AND REMOVAL ALL CONTAINED WITHIN
AN UNBROKEN CONTAINMENT, AVOID CONTACT AND
CONTAMINATION OF ADJACENT AREAS. ALL
DEBRIS, SPILLAGE AND CONTAMINATION SHALL BE
REMOVED AND REPAIRED ACCORDING TO ALL
APPLICABLE REGULATIONS AND STANDARDS.



**Douglas Parcells
& Associates**
INCORPORATED
14000 Bluebonnet Highway
Suite 100
Dallas, TX 75244
(972) 241-1400
(972) 241-1401
www.douglasparcells.com



Constru

MC
1455 A



DATE	08/11/2023
PROJECT	1455 A
CLIENT	1455 A
PROJECT NAME	1455 A
DATE OF ISSUE	08/11/2023
SCALE	AS SHOWN
BY	1455 A
CHECKED BY	1455 A
DATE	08/11/2023
PROJECT	1455 A
CLIENT	1455 A
PROJECT NAME	1455 A
DATE OF ISSUE	08/11/2023
SCALE	AS SHOWN
BY	1455 A
CHECKED BY	1455 A
DATE	08/11/2023



pas inc
Professional Surveyors & Engineers
1455 A

ROOF DEMOLITION
PLAN
ED2.03